

Screwdriver set to include but not limited to: Phillips, stubby #1 & #2; 6" #1 & #2; 12" #3; offset #2

Blow gun, non-restricted with ¼" Lincoln style air fitting (Milton 791/792) Rechargeable LED Shop/Utility Light (No longer than 24") Wire brush (Shoe horn type) Scraper/putty knife 1" – Steel Blade Adjustable wrench 6" Utility Knife Gasket Scraper – (Not razor type)

Rollaway tool cabinet

Pry bar set (Lady Foot/line up bar type) Punch/chisel to include but not limited to: center, pin, starter, flat chisel

Tire air inflation chuck with ¹/₄" Lincoln style air fitting (Milton 791/792)

Tire air pressure gauge

Tire valve core remover

1/2" drive impact wrench with Lincoln style air fitting (Milton 791/792)

1/2" drive impact non-marring wheel lug nut sockets and short impact extension (19mm&21mm)

12 volt test light Digital Multi-meter (volt-ohms-amps) Fluke DM115 or equivalent 7" electrical crimp/wire stripping/cutting pliers

Allen wrench set (SAE) Allen wrench set (metric) Combination wrench set (metric 8mm-19mm)



 $\frac{1}{2}$ drive socket set to include the following: Ratchet Extensions - 5" & 10" long Universal joint Breaker bar - 18" Shallow metric sockets 10mm – 25mm 3/8" drive socket set to include the following: Ratchet Extensions - 3", 6", 12" and 18" long Universal joint Shallow metric sockets 8mm – 19mm 1/4" drive socket set to include the following: Ratchet Extensions – 3" & 6" long Universal joint Shallow metric sockets 6mm – 12mm $\frac{1}{2}$ drive click type torque wrench (50-250 ft. lbs.) Torx socket set for 1/4" and 3/8" drive (T8-T55) 25 foot tape measure () Fender cover Telescoping inspection mirror Hack saw handle with blades Hood prop rod High speed drill bit set (1/16" - 1/2"; Cobalt or Titanium 135 degree split point) Magnetic pick-up tool Door trim removal tool kit (to include u and v-notch tools) Welding gloves (gauntlet style) Gas welding goggles (#5 shade)

½" drive impact socket set (deep and shallow, SAE and metric)
Combination wrench set (SAE 5/16" -1")
½" drive shallow SAE sockets 3/8" - 1 1/8"
3/8" drive shallow SAE sockets ¼" - 7/8"
¼" drive shallow SAE sockets

